

|          |           |
|----------|-----------|
| Project: | Type:     |
|          | Comments: |

**GENERAL:** TechoLED Luminous Surfaces provide a sleek, contemporary lighting solution. They are available in custom shapes and sizes, ranging from rectangles to curves. Featuring a fabric diffuser, multiple frame options, and the capability to print graphics on the fabric, these surfaces offer versatile design possibilities.

**LED:** Samsung LED chips, wide spread lens, 2700-5000K, tunable white and RGB/W available.

**OPTICAL:** Direct illumination, fabric diffuser, custom lumen outputs available.

**CONSTRUCTION:** 3.9" high grade aluminum extrusion frame, aluminum composite back plate with arrayed LED chips with wide spread lens, fabric diffuser with full ability to print high resolution graphics.



### Configuration example

| Model #            | Performance       | Size   | Frame Finish |
|--------------------|-------------------|--------|--------------|
| TechoLED-LS-ME-C-B | ME - 200lm/sq ft. | Custom | Black        |


### Ordering Guide:

Select one option from each group below. For a custom preference please contact [sales@techoled.com](mailto:sales@techoled.com)

| 1-FIXTURE ID  |                   | 2-PERFORMANCE |                       | 3-SIZE           |                             | 4-FRAME FINISH |               |
|---------------|-------------------|---------------|-----------------------|------------------|-----------------------------|----------------|---------------|
| <b>LS</b>     | Luminous Surfaces | <b>LO</b>     | Low - 150lm/sq ft.    | <b>C</b>         | Custom - specify dimensions | <b>S</b>       | Silver        |
|               |                   | <b>ME</b>     | Medium - 200lm/sq ft. |                  |                             | <b>W</b>       | White         |
|               |                   | <b>HI</b>     | High - 250lm/sq ft.   |                  |                             | <b>B</b>       | Black         |
|               |                   |               |                       |                  |                             | <b>C</b>       | Custom (RAL#) |
| 5-COLOR TEMP. |                   | 6-VOLTAGE     |                       | 7-DRIVER OPTIONS |                             | 8-MOUNTING     |               |
| <b>27</b>     | 2700K             | <b>U</b>      | 110-277V              | <b>DM</b>        | 0-10V Dimming               | <b>P</b>       | Pendant       |
| <b>30</b>     | 3000K             | <b>HV</b>     | 347V                  | <b>DM1%</b>      | 1% Dimming                  | <b>SM</b>      | Surface Mount |
| <b>35</b>     | 3500K             |               |                       | <b>DA</b>        | Dali                        | <b>R</b>       | Recessed      |
| <b>40</b>     | 4000K             |               |                       | <b>DMX</b>       | DMX                         |                |               |
| <b>50</b>     | 5000K             |               |                       |                  |                             |                |               |
| <b>RGB</b>    | RGB               |               |                       |                  |                             |                |               |
| <b>RGBW</b>   | RGBW              |               |                       |                  |                             |                |               |
| <b>D</b>      | Tunable White     |               |                       |                  |                             |                |               |

|          |           |
|----------|-----------|
| Project: | Type:     |
|          | Comments: |

Example dimensions:



|          |           |
|----------|-----------|
| Project: | Type:     |
|          | Comments: |

Example applications:

